



INDEX MAPS.

T. 30 N. R. 3 E. 2nd Mer. (Ind.^a)



T. 31 N. R. 3 E. 2nd Mer. (Ind.^a)



(F) The figures on the lines refer to the page.

Township No 31. North of Range No 3 East 2nd Mer. Indiana

329

South Boundary.

- West On South Boundary of Sec. 36. Var. 6. 15. E
 23. 45 A Buck 15. in. diam.
 28. 10 A Stream 20. links wide. Cr. N. W.
 40. 00 To a W. Oak 18. in. diam. for Cor. to 1/4 Sec.
 61. 47 An Ironwood 6 " "
 70. 00 Enter Met Prairie
 80. 00 Set Post Cor. to Sec. 35. & 36. in Prairie, from which an
 Aspin 6. in. diam. bears N. 67. E. 36 links dist. & a
 Do 6 " " " N. 17. W. 11. 6. " "
 Land level & 1st rate. Timber. Oak. Ash. Elm. Buck. &
 Sugar. Undergrowth same.

- West On South Boundary of Sec. 35.
 7. 00 Leave the Marsh
 23. 35 A Hickory 10. in. diam.
 25. 50 Enter Marsh
 34. 50 Leave same.
 40. 00 Set a q. Sec post from which a
 Q. Oak 6. in. diam. bears N. 64 1/2. E. 23. links dist. & an
 Elm 6. " " " N. 25. W. 23. " "
 * Land &c. much the same.
~~Remainder of this line omitted by the Surveyor~~

- West On South Boundary of Sec. 34.
 19. 64 A Sycamore 18 in. diam.
 40. 00 Set a q. Sec post from which a
 W. Ash 15. in. diam. bears N. 48. W. 61. links dist. and an
 Elm 10 " " " N. 75. E. 87. " "
 60. 14 A W. Oak 18. in. diam.
 75. 00 Enter Oak openings
 80. 00 Set a Post Cor. to Sec. 33. & 34. from which a
 Q. Oak 15. in. diam. bears N. 45. E. 47. links dist. & a
 W. Oak 10 " " " N. 63. W. 34. " "
 Land &c. same as last mile.

- West On South Boundary of Sec. 33.
 17. 64 A W. Oak 18. in. diam.

* 80.00 set post cor. of Sec. 33 & 34 a Red Oak 10. 14 47 60
 a forked Elm. 28. 17 35 E. 43 1/2 a Red Oak 10. 14 47 60

East Boundary

- North On East Boundary of Sec. 36. Var. S. 15. E.
17. 90. A Buck 24 in. diam.
25. 00 A Stream 8 links wide. Cor. West.
110. 00 Set a q^d Sec. post from which a
W. Oak 9 in. diam. bears S. 68. W. 19 links dist. & a
R. Oak 8 " " " N. 12. W. 38. " "
61. 45. A Red Oak 30 in. diam.
80. 00 Set a Post Cor. to Sec. 25. & 36. from which a
Buck 10 in. diam. bears N. 40. W. 6 links dist. & a
Sugar 18. " " " S. 21. W. 00. " "
Land level & 1st rate. Timber. Oak. Sugar. Buck. Ash.
Elm & Linn.

-
- North On East Boundary of Sec. 25.
24. 00 A W. Oak 12 in. diam.
40. 00 Set a q^d Sec. post from which a
Buck 20 in. diam. bears N. 18. W. 14 links dist. & a
Elm 10. " " " S. 61. W. 35. " "
59. 08 A W. Wood 16 in. diam.
80. 00 Set a Post Cor. to Sec. 24. & 25. from which a
White Wood 12 in. diam. bears S. 15. W. 7 links dist. & a
Blue Ash 20. " " " N. 70. W. 30. " "
Land &c. same as last.

-
- North On East Boundary of Sec. 24.
21. 35. A Buck 10 in. diam.
40. 00 Set a q^d Sec. post from which a
W. Oak 28 in. diam. bears N. 61. W. 37 links dist. & a
Lynn 50. " " " S. 45. W. 18. " "
56. 95 A Buck 18 " "
64. 50 Enter Willm Swamp.
80. 00 Set a Post Cor. to Sec. 13. & 24. from which a
Hickory 10 in. diam. bears S. 62. W. 27 links dist. & a
Buck 5. " " " N. 68. W. 20. " "
Land &c. same as last mile.

North On East Boundary of Sec. 13.
 8. 00 Large Millen Swamp
 26. 98 A Buck 18. in. diam.
 37. 57. Enter Millen Swamp
 40. 00 Set a pole post from which an
 Elm 10. in. diam. bears N. 51. 42. 3. 18. links disty & a
 Do 12. " " " S. 69. 41. 2. 25. " "
 53. 00 Leave the Swamp
 61. 32. A Buck 18. in. diam.
 80. 00 Set a Post Cor. to Sec. 12. & 13. from which an
 Elm 12. in. diam. bears S. 54. 41. 58. links disty & a
 Buck 12. " " " N. 63. 41. 36. " "
 Land &c. same

North On East Boundary of Sec. 12.
 20. 41 A W. Oak 12. in. diam.
 40. 00 To an Ironwood 8. in. diam. Cor. to 1/4 Sec.
 61. 41. A W. Oak 12. in. diam.
 80. 00 Set a Post Cor. to Sec. 11. & 12. from which an
 Elm 12. in. diam. bears S. 64. 41. 24 links disty & a
 Red Oak 9. " " " N. 32. 41. 55. " "
 Land &c. same as last mile.

North On East Boundary of Sec. 1.
 18. 00. Road. East & West.
 24. 85. A Red Oak 24. in. diam.
 32. 00. To a Red Oak 18. " " on the left Bank of Tippecanoe
 River
 37. 00 Set a Post on the Right Bank of the River. from which a
 Y. Oak 7. in. diam. bears S. 34. 41. 39. links disty & a
 Butternut 10. in. diam. " N. 41. 41. 40. " "
 40. 00. Set a 9p. Sec post from which a
 W. Oak 9. in. diam. bears S. 27. 41. 24 links disty & a
 B. Walnut 6. in. " " N. 36. 41. 31. " "
 58. 00 A Brook 3. links wide. Co. East.
 61. 44 A Red Oak 30. in. diam.

68. 50. A Brook 3. links wide. Cor. E.

80. 00 Set a Temp^o Post.

Land &c. much as before.

Oct. 18th 1853.

North Boundary. var. 6.25 E.

Met On South Boundary of Sec. 36. T. 32. N. R. 3. E.

31. 50 A Stream 30. links wide. Cor. N. W.

32. 84 A Lynn 18. in. diam.

40. 00 Set a gp. Sec. post from which a

W. Oak 7. in. diam. bears N. 40. E. 20. links dist. &c.

" Do. 6. " " " N. 56. W. 18. " "

48. 50. A Stream. 30. links wide. Cor. S. W.

51. 91 Set a Post on the Left Bank of Tippecanoe River. from which a Sycamore 10. in. diam. bears N. 41. W. 90. links dist. and a Maple. 10. " " " S. 33 1/2 W. 19. " "

53. 90 Set a Post on the Right Bank of Tippecanoe River. from which a Lynn 10. in. diam. bears N. 15. W. 18. links dist. and a Butternut 20. " " " S. 27. W. 9. " "

65. 86. Intersect the line between Ranges 3. & 4. 7. chains & 17. links North of Temp^o post. Set a post, from which a Buck 9. in. diam. bears S. 13. W. 18. links dist. &c.

Do 18 " " " S. 45. E. 23. " "

80. 00 Set a Post. Cor. to Sec. 25. & 36. from which a

W. Ash 3. in. diam. bears N. 72 1/2 W. 18. links dist. &c.

Buck 20. " " " N. 49. E. 48. " "

Land, level & 1st rate. Timber. Buck. Sugar & Ash.

Met On South Boundary of Sec. 35. T. 32. N. R. 3. E.

18. 16. An Elm 28. in. diam.

40. 00 Set a gp. Sec. post, from which a

Buck 15. in. diam. bears N. 49. W. 18. links dist. &c.

Do 12. " " " N. 75 1/2 E. 35. " "

57. 74 A B. Oak 20. in. diam.

80. 00 Set a Post. Cor. to Sec. 34 & 35. from which a

W. Wood 10. in. diam. bears N. 58. E. 18. links dist. &c.

Sugar 18. " " " N. 75 W. 23. " "

T. 31. N. R. 3. E. 2nd Mer. Indiana.

	Land gently rolling & 1 st rate. Timber - Sugar. Buck. Ash. White Wood. Elm. Lym. &c.
Note	On South Boundary of Sec. 34. T. 32. N. R. 3. E.
24. 12.	A Buck 8. in. diam.
40. 00	Set a 1/4 Sec. post from which a Buck 7. in. diam. bears N. 43. E. 15. links dist. and a Do. 20 " " " N. 61. W. 25. " "
61. 20	A Brook 20 links wide. Course S. E.
67. 12	An Elm 10. in. diam.
80. 00	To a W. Ash 10. in. diam. for the Cor. of Sec. 33. & 34. Land &c. same.
Note	On South Boundary of Sec. 33. T. 32. N. R. 3. E.
22. 71	A Buck 18. in. diam.
38. 00	Enter Willen & Alder Swamp.
40. 00	Set a 1/4 Sec. post. from which an Elm 7. in. diam. bears N. 67. W. 85. links dist. & a B. Ash 7. in. " " N. 88 E. 12. " "
45. 00	Leave the swamp -
62. 57	A Buck 18. in. diam.
80. 00	To an Elm 8. " " for the Cor. to Sec. 32 & 33. Land &c. much as before.
Note	On South Boundary of Sec. 32. T. 32. N. R. 3. E.
18. 77	A Buck 18. in. diam.
40. 00	Enter Willen Swamp. & set a 1/4 Sec. post. from which a W. Ash 10. in. diam. bears N. 62. E. 6. links dist. and an Elm 10. " " " N. 43. W. 10. " "
50. 00	Leave the Swamp.
59. 44	A Red Oak 24. in. diam.
80. 00	Set a Post Cor. of Sec. 31. & 32. from which a W. Ash 18. in. diam. bears N. 67. E. 12. links dist. & a Maple 10. " " " N. 30. W. 29. " " Land &c. much the same.

West On South Boundary of Sec. 31. T. 2. N. B. & Co.
 5. 00 Enter Miller Swamp.
 27. 00 Leave " "
 40. 00 Set a 1/4 Sec. post, from which an
 Elm 10. in. diam. bears N. 12. E. 27. links dist. & a
 Ironwood 10. in. " " N. 26. W. 42. " "
 41. 00. Intersect the East line of Sec. 24. (N. B. & Co.) 352. links N.
 of the S. E. Cor. of said Sec. Set a Post from which a
 Sugar 30. in. diam. bears S. 35. E. 111. links dist. and a
 Buck 7. " " " N. 74. E. 23. " "
 77. 50 Michigan Road.
 87. 00 Temp. post in Road Land.
 Land &c. much as before. Nov. 14th 18. 63.

West Boundary. var. 5. 10. E.
 North On East Boundary of Sec. 30. T. 2. N. B. & Co.
 4. 50. Enter wet Prairie
 13. 00 Leave " "
 31. 01 A Y. Oak 30. in. diam.
 40. 00 Set a 1/4 Sec. post from which a
 W. Oak 20. in. diam. bears S. 29. W. 75. links dist. & a
 " Do. 20. " " " N. 86. W. 100. " "
 56. 20. Set post on the Left Bank of Tippecanoe River, from which
 a W. Oak 10. in. diam. bears S. 110. E. 6. 06. links dist. &
 No other tree near.
 68. 32. Left the River & set Post on the Right Bank, from which
 a Miller 6. in. diam. bears S. 26. E. 56. links dist. &
 Gycamore 6. " " " N. 77. W. 21. " "
 80. 00 To Bend in River & set Post from which a
 Gycamore 10. in. diam. bears S. 33. W. 3. 12. links dist. & a
 Maple 6. " " " N. 38. E. — " "
 Land level & 2nd rate. Thinly timbered Oak openings

North On East Boundary of Sec. 25. T. 2. N. B. & Co.
 9. 80. Left River and set a Post on the Right Bank, from which
 a W. Oak 15. in. diam. bears N. 21. W. 100. links dist. and a

T. 31. N. 2. E. 3. E. 2nd Mer. Indiana.

32. 44	W. Oak 18. in. diam. bears East 18. links disty.
40. 00	A Y. Oak 12. " "
	Set a q. Sec. post from which a
	W. Oak 18. in. diam. bears S. 83. W. 4. links disty and a
	" Do. 10. " " " N. 50. W. 24. " "
59. 47	A Y. Oak 10. in. diam.
80. 00	Set a Post Cor. to Sec. 24. & 25. from which a
	Hickory 10. in. diam. bears N. 80. W. 43. links disty & a
	W. Oak 20. " " " S. 10. W. 1. 20. " "
	Land level & 18 th rate Oak openings.
North	On East Boundary of Sec. 24. T. 31. N. 2. E.
17. 87	A Hickory 10. in. diam.
40. 00	Set a Do. P. 6. " " for $\frac{1}{4}$ Sec. Corner
57. 50	A Road. S. E. & N. W.
67. 42	A W. Oak 30. in. diam.
80. 00	Set a Post Cor. to Sec. 13. & 24. from which a
	Hickory 8. in. diam. bears S. 80. W. 60. links disty & a
	W. Oak 10. " " " N. 28. W. 95. " "
	Land rolling & 15 th rate Oak openings
North	On East Boundary of Sec. 13. T. 31. N. 2. E.
17. 53	A Y. Oak 18. in. diam.
40. 00	Set a q. Sec. post from which a
	Red Oak 24. in. diam. bears S. 30. W. 41. links disty & a
	W. Ash 30. " " " N. 21. W. 49. " "
50. 00	Leave Oak openings & Enter Timbered Land.
72. 41	A W. Oak 30. in. diam.
80. 00	Set a Post Cor. to Sec. 12. & 13. from which a
	W. Oak 12. in. diam. bears S. 84. W. 24. links disty & a
	Beech 24. " " " N. 33. W. 52. " "
	Land rolling & 18 th rate Timber Oak Ash.
	Beech. Lymn. &c.
North	On East Boundary of Sec. 12. T. 31. N. 2. E.
21. 05	A B. Walnut 24. in. diam.

40. 00	Set a q. Sec. post. from which a W. Oak 10 in. diam. bears S. 69. W. 79. links dist. & a " Do 10. " " " N. 54. W. 62. " "
52. 94	A Buck 20. in. diam.
80. 00	Set a Post Cor. to Sec. 1. 412. from which a Buck 14. in. diam. bears S. 20. W. 38. links dist. & a Elm 10. " " " N. 43. W. 34. " " Land level & 18' rate. Timber. Oak. Ash. Elm. Buck. Sugar. &c.
North	On East Boundary of Sec. 1. T. 31. N. R. 2. E.
16. 44	A W. Oak 10. in. diam.
17. 00	Enter Miller Swamp.
30. 00	Leave " "
40. 00	Set a q. Sec. post. from which a Hickory 8. in. diam. bears N. 29. W. 27. links dist. & a W. Ash — " " " S. 63. W. 53. " "
52. 50.	An Indian Trail E. & W.
61. 80	A Sugar. 18. in. diam.
80. 00	Set Temp. Corn Corner. Land &c. same as last mile Oct. 17th-18. 33. Surveyed by Gyoster Sibley D. S.

Subdivisions.	
North	Between Sec. 35. & 36.
4. 50.	Left the swamp. or met Prairie Oct. E. & W.
15. 25.	A Red Oak 30. in. diam.
17. 50	Old Indian Trail. N. W.
19. 25	A Burr Oak 20. in. diam.
21. 00	Enter deep Miller Swamp.
37. 50	Left the same.
40. 00	Set a 1/4 Sec. post. from which a W. Oak 22. in. diam. bears N. 50. E. 59. links dist. & a " Do 30. " " " S. 32 W. 50. " "
46. 33.	A Red Oak 32. in. diam.

T. B. A. B. & E. 2nd Mer. Indiana

54. 25. A Creek 40. links wide. Cor. N. N. W. Clear. brish Current
Gravel Bottom &c.
60. 50 A Lynn 20. in. diam.
63. 30. A Br. Oak. 20. " "
73. 00 A Stagnant Brook 12. links wide. Cor. N. W.
74. 74 A Black Ash 14. in. diam.
79. 82 A Brook 5. links wide. Cor. W. N. W.
80. 00 A post Cor. to ch. 25. 26. 35. & 36. from which a
W. Elm 14. in. diam. bears S. 18. W. 6. links dist. &c.
" Do 12. " " " N. 77. E. 14. " "
Land level & mostly rich 2nd rate. Timber. Elm. Ash.
Lynn Sycamore. Burr Red. & White Oak. Poplar.
Cottonwood Hickory. &c. Undergr. Willow. Hazle.
Hornbeam. Ironwood. Aspin Rosebriers. &c.

East On Random between ch. 25. & 36.

00. 50 Dead running Brook 6. links wide. Cor. W. N. W.
7. 40 The same Stream 6. " " " W. N. W.
44. 50 A Stagnant Stream 8. " " " W. S. W.
80. 50 Intersect East Boundary 29. links South of the Post.
Land level. & the 1st p. mile inferior. 2nd rate. rather met.
Last p. choice rich 2nd rate. farming Land.
Timber. Ash. Buck. Hickory. Walnut. Sugar. Lynn.
Elm. Poplar. &c. Undergr. Spice. Ash. Sugar.
Hickory. Hornbeam. Ironwood &c.

West Corrected between ch. 25. & 36.

3. 22 A Blue Ash 10. in. diam.
12. 89 A Buck. 20. " "
24. 69. A Do. 14. " "
40. 28. A post from which an
Ironwood 10. in. diam. bears N. 40. W. 9. links dist. &c.
Buck 18 " " " S. 30. E. 30. " "
49. 95 A W. Elm 10. " "
64. 66 A Sugar 20. " "
80. 56. To Tree Corner

North	Between Sec. 25 & 26.
4. 98	A W. Elm 14 in. diam.
14. 00	A Buck 14. " "
24. 82.	A Cherry 18. " "
26. 50	A Buck 3. links wide. Cor. W.
33. 73	Intersect the South Boundary of Tiosas. & Masac's Reservation, where set a Port. Cor. of Sec. 25. & 26. from which a Buck 18 in. diam. bears S. 12. W. 20. links dist. 8. a Do 14. " " " S. 11. W. 40. " " Land level & rich 2 nd rate. Timber. Buck. Ash. Sugar. Hickory. Elm. Lyrn. Walnut. Red. White & Burr Oak. Poplar &c. Undergrowth. Spice. Ash. Sugar. Ironwood. Hickory. Lyrn. Elm. Plumb. Willow. &c.
West	Measured on line between Towns 30. & 31. from the 1/2 Mile Port. as per. Special instructions for Cor. of Sec. 34. & 35.
40. 00	A Forked Elm 28 in. diam. bears N. 35. E. 43. links dist. 8 & a Red Oak 40. " " " N. 44. W. 00. " "
North	Between Sec. 34 & 35.
3. 79	A Hickory 28 in. diam.
7. 50.	Enter Maple Swamp.
10. 00	Left " " mostly West.
15. 96.	A W. Walnut 24 in. diam.
17. 30	Enter Pond.
18. 50	Left the same 18 in. deep.
25. 20.	A W. Oak 18 in. diam.
26. 50.	Enter Wet Prairie.
31. 80	Left " " mostly East 1/2 mile in extent.
32. 35.	An Aspin 10 in. diam.
40. 00	Set a 2 nd Sec. port from which a Grey Ash 20 in. diam. bears S. 70. E. 14. links dist. 8 a Aspin 8 " " " N. 49. W. 29. " "
43. 55.	A Burr Oak 18 in. diam. & enter rough swamp

T. & A. B. C. Co. Dr. Mr. Indiana.

- 45.50 Left the Swamp N. E.
 52.25 A Red Oak 22 in. diam.
 60.28 A Poplar 20. " "
 70.50. Enter Swamp.
 76.50 Enter Tamarac grove
 80.00 Got a post Cor. to Sec. 20. 27 34. & 35. from which a
 Tamarac. 10 in. diam. bears N. 89. W. 7. links dist. & a
 Do. 12. " " " S. 88. E. 14. " "
 Land level. mostly 2nd rate. - Swamps & Wet Prairies
 excepted. Timber. White. Red. & Burr Oak. Hickory,
 Linn. Ash. Elm. Poplar. Aspin. Tamarac. &c. Underg.
 Spice. Ark. Sugar. Willow, Aspin &c.

- East On a Runway between Sec. 20 & 35.
 11.00 Left Tamarac Swamp
 25.50 An Indian Trail Cor. N. W.
 35.00 Descending hill & Enter wet fenny Land.
 41.40 A Creek 40 links wide. Cor. S. W. Current brisk.
 Clear. gravel bottom 18 in. deep. Sift net Sand.
 57.00 Enter Pond.
 61.00 Left Do. 18 in. deep.
 65.00 A Creek. runs South. 2.00 off.
 67.30. A Brook 5 links wide. Cor. S. W. Clear. &c.
 79.75 Intersect the N. & S. line 8 links North of the post.
 Land mostly level except Swamps & fenny places
 The soil is rich 2nd rate. Timber mostly Poplar. Beech.
 Linn. Elm. Walnut, Sycamore, Cottonwood, Jam. & Spice
 Ash, Linn. Hornbeam, Ironwood, Sugar, & Willow.

- West Corrected between Sec. 20 & 35.
 3.10. A Black Ark 18 in. diam.
 9.45. A W. Elm 16 in. " "
 23.34 A Sycamore 22. " "
 39.80. Got a 2nd Sec post. from which a
 Black Ark 22 in. diam. bears S. 49. E. 7 links dist. & a
 W. Elm 16. " " " N. 58. W. 0. " "

341

J 31 No R. 3. E. Ind. Mer. Indiana,

17 69 A Hickory 14. in. diam.

61. 61 A W. Oak 20 " "

74 60. A Tamarac 10. " "

79. 73. To Ice Corner.

June 13th. 1834.

North Between Secs 26. & 27.

0 84 A Tamarac. 10. in. diam.

15 83. A Do. 6. " "

27. 79. A Do. 6. " "

29. 25. Enter net Prairie.

33. 00 Timbered Land.

33. 35 Intersect the South Boundary of Indian Reservation.

where set post Cor. to Sec. 26. 27, from which a

W. Oak 20. in. diam. bears S 30. W. 25. links dis^y & a

" Do. 18. " " " S. 41. E. 01. " "

Land level. Tamarac Swamp. 3^d rate soil. Timber

Tamarac. & W. Oak. Underg^t Tum. & Whortleberry;

North Between Secs 33. & 34.

5. 40. A W. Oak 28. in. diam.

22. 00 Enter Prairie

27. 50 Left the same N. E. & S. W.

31. 20. A Black Oak 24 in. diam.

38. 00 Enter West Arm of the same Prairie.

40. 00 Set a 74 Sec post from which a

B. Oak 18. in. diam. bears N. 42. W. 23.1 links dis^y & a

" Do. 18 " " " S. 28. E. 1. 21. " "

42. 50 Left the Prairie. Mostly E.

45. 50. Enter same " West

55. 50. Left the same mostly North West. Water 20. in. deep.

67. 70 A W Oak 12. in. diam

70 57. A Black Oak 14. " "

80 00 Set a Post Cor. to Secs. 27. 28. 33. & 34. from which a

W. Oak 16. in. diam. bears N. 45¹/₂. E. 50. links dis^y & a

" Do. 14 " " " S. 01. W. 30. " "

Land level. & inferior 2^d rate. Net Prairie & open Barrens.

T³¹. N². B. & E. 2nd Mer. Indiana.

Timber. White & Black Oak, Hickory, Aspin &c.
 Undergrowth. Hazle. Sapaw Oak. " &c. Herbs.
 Misc. & Seed grass.

- East On a Runway between Sec. 27. & 34.
 5. 95. An Indian Trail Crs. N. W.
 12. 00 Enter wet Prairie
 23. 00 Left " " Muddy creek
 39. 00 Enter among Pond.
 43. 00 Left To Do. Water 20. in. deep
 58. 00 Enter Wet Prairie.
 61. 50 Enter Tamarac grove.
 79 73. Intersect the N. & S. line 33. links South of the Post.
 Land level, but poor soil mostly 3rd rate. Swamps
 Barrens &c. Timber. Burr Oak. White Oak. Tam.
 Aspin, Black Oak &c. Undergrowth. Hazle. Aspin
 Oak Tamarac. Willow. Whortle berry &c.

- West Corrected between Sec. 27. & 34.
 1. 90 A Tamarac 8. in. diam.
 22. 73. A B^o Oak 18. " "
 34. 75. A W. Oak 16. " "
 39. 85. Set a gp. Sec. post in water 20. in. deep. From which a
 W. Oak 24. in. diam. bears N. 4. E. 129. links dist. & a
 " Do 22 " " " S. 71- W. 147. " "
 43. 40. A W. Oak 26. " "
 79. 73. To Sec. Corner.

- North Between Sec. 27. & 28.
 5. 01. A W. Oak 14. in. diam.
 7. 50. An Indian Trail. Crs. N. W. & S. W.
 13. 92. A W. Oak 20. in. diam.
 18. 50. Enter Wet Prairie. Crs. S. E.
 29. 00 Scattering Timber.
 33. 50. Intersect the S. Bound^y of Indian Reservation
 where Ira post Cor. to Sec. 27. & 28. from which

T. 31. N. 30. E. 2nd Mer. Indiana, 343

Burr Oak 25. in. diam. bears S. 44 $\frac{1}{2}$ E. 40. links dist.
 and a Dr. Forked Bl. " " " S. 80 $\frac{1}{2}$ W. 89. " "
 Land level & inferior. 2nd rate. Timber. W. Oak. Burr Oak,
 &c. Undergth Oak. Hickory & Hazle.
 Measured West on Reservation line 30.00 to the S. W.
 Corner thereof.

West On True line between Sec. 28. & 33.
 15. 00 Enter open Prairie
 25. 20 An Indian Trail & Wagon Road. Co. N. E.
 31. 00 Left West Prairie. Mostly N. W.
 33. 36. A Black Oak 10. in. diam.
 40. 00 Set a q^r. Sec post from which a
 Black ^{Oak} 22. in. diam. bears S. 85 $\frac{1}{2}$ W. 69. links dist. & a
 Hickory 10. " " " N. 80 $\frac{1}{2}$ E. 114. " "
 43. 00 Enter West Prairie.
 54. 50. Left Dr. mostly S. E.
 75. 24. Intersect the East Boundary of Sec. 30. Michigan
 Road Land. where Set post Cor. to Sec. 28. & 33. from
 which a Black Oak 22 in. diam. bears N. 20. E. 47. links
 dist. and a W. Oak. 18. " " " S. 81. E. 145. links dist.
 Land level & mostly 3^d rate. West Prairie & poor. Barrens.
 Timber. White, Black & Red Oak. Hickory. &c. W. g.
 Oak. Hickory. Hazle. Sapap^{us}. &c. Hedge. Hedges &
 Wire grass.
 Measured North with said line. 1. 52. to N. E. Cor. of
 said Sec. Thence West with North Boundary of said
 Sec. 4. 70. Where Set a Post Cor. of Sec. 28. & 29. from
 which a W. Oak 14 in. diam. bears N. 43. E. 59. links dist.
 and no other tree near.
 Prairie lies West.

North Between Sec. 28. & 29. [See corner on Road Land, above]
 From the North Bound^y of Sec. 30. Michigan
 Road Land reckoning from imaginary Corner.
 14. 30. An Indian Trail Co. E. & W.

- 35.97 A Black Oak 20. in. diam.
 37.45 An Indian Trail. E. & W.
 40.00 Set a $\frac{1}{4}$ Sec. Post from which a
 W. Oak 40. in. diam. bears N. 21. W. 113. links disty & a
 " Do 10. " " " S. 37 $\frac{1}{2}$ E. 90. " "
 43.35 A W. Oak 22. in. diam.
 43.53 An Indian Trail N. E. Descend Steep Bank & at
 45.70 A Brook 6. links wide. Cor. West into River.
 Enter Wet Prairie.
 52.00 Left Wet Prairie. & Ascend gently.
 62.20 An Indian Trail. Cor. N. E.
 64.75 Descend Steep Bank & Enter wet Prairie
 66.70 A Spring Branch 2. links wide. Cor. S W. into River.
 70.26 Set a Post on the left Bank of the River (Tipppecanoe)
 Cor. of Sec. 28 & 29. from which a
 W. Oak 22. in. diam. bears S. 22. E. 200. links disty
 No other tree near.
 Offset East 200
 80.00 Reduced Offset in part. & Set a Post on the left Bank
 of Tipppecanoe River 74. links East of the true
 Cor. of Sec. 20. 21. 28. & 29. A Cluster of Red Elms.
 N. 54. E. 45. links disty & ...
 No other tree near.
 Land mostly poor. Barren & Wet Prairie. Soil. 3rd rate.
 Timber. Black Oak. White Oak. &. Undergrowth. Willow
 Huckle. Briers &c.

-
- East On a Ransom between Sec. 21. & 28.
 2.75 Cut the South Bend of Creek. 30. links wide. Offset
 South 100.
 4.50 Offset Paid.
 9.00 Left wet Prairie & Ascend a Bank 10. feet high.
 10.40 A W. Oak 16. in. diam.
 15.45 An Indian Trail Cor. N. E.
 21.61 A W. Oak 22 in. diam.
 37.34 An Indian Trail Cor. S. E.
 37.36 A W. Oak 10. in. diam.

110. 00 Set a $\frac{1}{4}$ Sec post from which a
 W. Oak 16. in. diam. bears S. 11 $\frac{1}{2}$ E. 53. links dist. & a
 Black Oak 12. " " " N. 9. W. 72. " "
 43. 07. Intersect the West Boundary of Tiosas & Masac's
 Reservation where set a Post Cor. of Sec. 21. & 28. from
 which a W. Oak 22. in. diam. bears S. 38 $\frac{1}{2}$ W. 94. links
 dist. and a Blk Oak 20. " " " N. 84 $\frac{1}{2}$ W. 2. 11 "
 " Land level & inferior. 2nd rate. Timber. White, &
 Black Oak. Hickory. &c. Undergr^d. Oak. Sassafras. &c.
 Measured South with survey line 47. 54. 571. Cor. of said
 Reserve. June 14th. 1834.

- East Between Sec. 16. & 21.
 14. 51. A Hickory 7. in. diam. 1. link North of the line.
 28. 00 Center met Land.
 29. 05. A W. Elm 16. in. diam
 30. 00 Dry Land & heavy Timber.
 38. 45. A Brook 3 links wide. Cor. South.
 40. 00 Set a gr Sec post. from which a
 W. Oak 36. in. diam. bears N. 62. E. 30. links dist. & a
 Burr Oak 14. " " " S. 43 $\frac{1}{2}$ W. 44. " "
 42. 30. Intersect the West Boundary of Tiosas & Masac's Reser-
 -vation. where set a post Cor. to Sec. 16. & 21. from which a
 W. Oak 20. in. diam. bears S. 70. W. 43. links dist. & a
 " Do 28 " " " N. 40. W. 1. 50. " "
 Land poor Rolling & poor. 3rd rate. and part level
 inferior 2nd rate. Timber W. Oak. Hickory. Elm.
 Red Oak &c. Undergr^d. Oak. Hickory. Sassafras. Willow
 Whortleberry &c.

- West On true line between Sec. 17. & 20.
 24. 93. A Black Oak 8. in. diam.
 110. 00 Set a gr Sec post from which a
 Hickory 8 in. diam. bears N. 61. E. 24 links dist. & a
 Do 14 " " " S. 83. W. 46. " "
 42. 40. An Indian Trail. Cor. North.

T. B. L. N. B. E. Ind. Mer. Ind.

49 52. A Hickory 5. in. diam.
 58 54. Intersect the E. Boundary of Sec. 28. Michigan
 Road Land. where set a Post Cor. of Sec. 17. & 20. from
 which a Hickory 14. in. diam. N. 61. E. 1.59. links dist. & a
 Do. 14. " " S. 81. E. 108. " "
 Land Rolling & Broken. poor sandy soil. Timber
 Hickory. Oak. 3rd rate Barrens. Undergrowth Oak.
 Sapras. Mullen. Hickory. &c.
 Measured North on said Sec. line N. 71. N. E. Cor thereof.

North Between Sec. 16. & 17.
 7. 58. A W. Oak. 10. in. diam.
 25. 03. A Hickory 18. " "
 31. 02. A W. Oak 16. " "
 40. 00 Set a $\frac{1}{4}$ Sec post from which a
 Bk Oak 5. in. diam. bears S. 69. W. 38. links dist. & a
 " Do. 10. " " " N. 53 $\frac{1}{2}$ E. 32. " "
 50. 89 A B. Oak 24. in. diam. & Enter heavy Timber.
 80. 00 Set a post Cor. to Sec. 8. 9. 10. 11. 7. from which a
 Buck 20. in. diam. bears N. 48 $\frac{1}{2}$ E. 23. links dist. & a
 Do 22 " " " S. 41. W. 47. " "
 Land rolling. Last 20. 00 rich 2nd rate. Barblance.
 poor 3rd rate. Timber. Hickory. White. Black. Oak.
 Beech. Ash. Poplar. Walnut. &c. Oak. Hickory.
 Hazle. Sapras. Briers. Vines. &c.

East On Boundary between Sec. 9. & 10.
 12. 42 A Poplar 30. in. diam.
 24. 50 An Indian Trail N. W.
 26. 24 A Buck 24. in. diam.
 37. 90 A Hickory 20. " "
 40. 00 Set a $\frac{1}{4}$ Sec post. from which a
 Bk. Ash 16 in. diam. bears N. 57. E. 33. links dist. & a
 Red Oak 12 " " " S. 44. W. 40. " "
 41. 76 Intersect the West Boundary of Tiosis & Masc's
 Reservation, where set a post Cor. to Sec. 9. 10. from which

T. & J. N. P. & C. 2^d Mer. Indiana, 347

Lynn 18. in. diam. bears N 52 W 30. links dist. 8.
 Do. 24. " " " S 39 W 40. " "
 Land rolling & rich 2^d rate. Timber. W. Oak. Ash.
 Poplar. Walnut. Lynn. Hickory. Elm Burr Oak.
 Beech. &c. Undergrowth. Hickory. Brier. Hornbeam,
 Ash, Spice. &c

West Between Sec. 8. & 7.
 3. 80. A W. Oak 20. in. diam.
 14. 41 A Red Oak 54. " "
 27. 55. A W. Elm. 32. " "
 40. 00 Set a gp. Sec. post from which a
 Black Walnut 28. in. diam. bears N 32 W. W. 31. lks.
 dist. and a Beech 20. " " S. 5. E. 52 lks dist.
 45. 50 A W. Oak 14 in. diam.
 57. 32 A Red Oak 24. " "
 52. 00 An Indian Trail. Cor. N. W.
 54 27 Intersect the E. Boundary of Sec. 27. Michigan
 Road Land, where Set a post Cor. to Sec. 8. & 7. from
 which a Red Oak 18. in. diam. bears S 64 E. 84. links dist.
 and a Grey Ash 18 " " N. 35. E. 97 " "
 Land gently Rolling & rich 2^d rate. Timber, Large
 Red & White Oak. Walnut, Ash. Lynn. Elm. Burr Oak
 Hickory. Beech. Poplar. &c. Undergrowth. Spice. Briers.
 & Hickory.
 Measured North on said Sec. line 108. to the N. E. corner
 thereof. June 10th 1834.

North Between Sec. 8. & 9.
 11. 11 A Beech 18. in. diam.
 16. 90 A Brook 6. links wide. Cor. E. N. E.
 22. 00. An Indian Trail. Cor. N. W.
 22. 24 A W. Elm 34. in. diam.
 22. 90. An Indian Trail. Cor. N. W.
 30. 18. A Beech 20. in. diam.
 40. 00. Set a gp. Sec. post from which a

T. & L. R. & E. 2nd Mer. Indiana.

- Ironwood 6. in. diam. bears N. 19. W. 6. links dist. & a
 Red Elm 8. " " " S. 32. E. 47. " "
 41.25. A Brook 6. links wide. Cor. E. N. E. Clear.
 Brisk Current.
 52.70. A Beech. 10. in. diam.
 61.17. A Do 18. " "
 73.50. Enter wet Prairie
 77.30 Left the same mostly E.
 80.00 Set a Post Cor. to Sec. 4. 5. 8. & 9. from which a
 Ironwood 10. in. diam. bears N. 17. E. 14. links dist. & a
 Do. 6. " " " S. 44. W. 11. " "
 Land rolling & rich 2nd & 3rd rate. Timber. Beech. Red.
 White. & Burr Oak. Hickory. Sugar. Lynn. Ash.
 Walnut. Elm. Poplar. Ironwood. Cherry. Maple.
 &c. Ungt. Sugar. Lynn. Hornbeam, Hickory. Plum.
 Ironwood. Willow. Briers. &c.

- East Between Sec. 4. & 9.
 4.00 Enter wet Prairie
 20.50 Left the same. Mostly N. E.
 22.42. A Poplar 14. in. diam.
 33.08. A W. Elm 10. " "
 40.00. Set a q. Sec. post. from which a
 W. Elm 14. in. diam. bears S. 40. E. 7. links dist. & a
 Beech 20. " " " N. 12. W. 38. " "
 41.03. Intersect the West Boundary of Division & Massey's Reser-
 -vation. where set a post. Cor. to Sec. 4. & 9. from which a
 Red Oak 48. in. diam. bears N. 25. W. 36. links dist. & a
 W. Elm 20. " " " S. 65. W. 30. " "
 Land level. 2nd & 3rd rate. part very wet Timber. Red.
 & White Oak. Beech. Elm. Sugar. Ash. Burr Oak.
 Burr Oak. Hickory. Poplar. Walnut. Ironwood. &c.
 Undergrowth. Spice. Hornbeam. Ash. Huckle. Ironwood.
 Dogwood. W. Thorn. Sugar. &c.
 Measured North on said Reservation line 40. 6. 8.
 to the N. W. Cor. thereof.

comp?

West between Sec. 20 & 29

1. 98 leave River & set post on right bank from which
a Lymn 26 in. dia bears S 38 E 18 lbs. dist. 8
a R. Oak 28, , , N 1 3/4 W 25, ,
6. 65 set post on right bank of Tippecanoe River from which
a Lymn 8 in. dia bears S 24 W 5 lbs. dist. 8
a Bur Oak 14, , , N 8 E 21, ,
9. 58 set post on left bank of same river from which
a R. Oak 14 in. dia. bears S 49 W 22 lbs. dist. 8
a Hackberry 6, , , N 41 W 53, ,
15. 07 a W. Elm 26, ,
17. 33 set post on left bank of Tippecanoe R. from which
a Maple 8 in. dia bears S 7 1/2 W 14 lbs. dist. 8
a B. Walnut 16, , , N 23 W 45, ,
17. 87 Intersect the E. Boundary of Sec. N. 29 Michigan
Road Lands in river. Measured N. on said line
135 lbs. to the N.E. corner of said Sec.
Land level rich & rate, timber W. Oak, Walnut,
Honey Locust, Elm, Maple & Hazel in abundance,
Hickory, Willow, Elm &c

North between Sec. 20 & 21

10. 33 set post on right bank of Tippecanoe R. from which
a W. Oak 24 in. dia bears N 3 E 55 lbs. dist. 8
a Do 26, , , N 76 1/2 W 13, ,
18. 18 a Do 18, ,
24. 80 an Indian trail bears NE
34. 76 a B. Oak 28 in. dia.
40. 00 set of sec. post from which
a Hickory 6 in. dia bears N 88 E 177 lbs. dist. 8
a Do 6, , , S 46 1/2 W 217, ,
42. 54 an Indian trail NE
67. 56 a W. Oak 18 in. dia.
70. 75 a B. Oak 18, ,
80. 00 a Hickory 8, , stands for cor. of sec. 16, 17, 20
& 21. Land rolling poor & rate, Hickory

T. 31 N., R. 3 E. 2^d Mer. Ind.^a

± B. Oak, Banans & Oak, Hickory, Willow
Whortleberry &c.

Subdivision of Tiosa's & Masac's Reserve. in T. 31 N. R. 3 E. 2^d Mer.

Commencing on South Boundary of Reserve.

North Between Sect. 25 & 26 Var. 5.30' E.

1.22 a Beech 19 in. dia.

6.27 Set gr. Sec. post, from which a
Beech 19 in. dia. bears S 87 E 5 lks.

Lynn 12 " " " N 24 W 30 lks. dist.

9.09 Beech 20 in. dia.

13.00 Enter brushy pond

18.00 Leave Do. lying mostly east

30.00 Another small pond

33.27 Maple 23 in. diam.

46.27 Set post corner to Sect. 23, 24, 25, 26, from which
a Beech 11 in. dia. bears N 1 W 19 lks.

Hickory 5 " " " S 2 E 19 lks.

Land level 2^d rate - wet & pondy, timber
Beech, Ash, Hickory, Elm, Poplar, Walnut, Lynn,
Maple, Willow &c.

East On Random between Sect. 24 & 25

35.50 Enter Pond

44.00 Leave Do. lying N.E. & S.W.

80.10 Intersected 70 lks. South of post.

Land level 2^d rate - Beech, ash, Sugar,
Elm, poplar, Walnut, Lynn, aspen, maple,
Willow &c.

Ch^s lks.West corrected between Sec^s 24 & 256.17 A Sycamore 50 in^d dia.40.05 Set of Sec. post in pond, from which
an Ash 12 in^d dia. bears N 11 E 76 lks.

Maple 4 " " " N 33 W 55 lks. dist.

61.95 Beech 22 in^d dia.

80.10 Section corner

North Between Sections 23 & 24

4.44 Pin Oak 22 in^d dia.

8.71 Grey Ash 20 " "

11.54 Bur Oak 30 " "

30.97 R. Oak 7 " "

40.00 Set of Sec. post, from which a

B. Walnut 30 in^d dia. bears S 54 E 34 lks.

Hickory 6 " " " N 71 W 29 lks.

49.20 ^{Run} ~~Bur Oak~~ 20 in^d wide, course West

56.00 Sugar 24 " "

69.90 Bur Oak 23 " "

80.00 Set post cor. to Sec^s 13, 14, 23, 24, from which aRed Elm 8 in^d dia. bears N 82 1/2 W 36 lks.

Hickory 10 " " " N 86 E 26 lks.

Land level good 2nd rate - Beech, Sugar,
ash, Walnut, Elm, Cherry, Buckeye &cEast on Random between Sec^s 13 & 24

35.00 Enter pond

39.00 Leave do

80.08 Intersected 92 lks. south of post

Land level 1st rate. Beech, ash, Walnut, Oak,
Elm, Sugar, poplar &cWest corrected between Sec^s 13 & 248.52 Grey Ash 33 in^d dia.

40.04 Set of Sec. post, from which a

Pin Oak 9 in^d dia. bears N 30 E 9 lks.

Bur Oak 12 " " " S 48 W 35 lks.

80.08 Sec. cor.

Ch. lks.

North Between Sec. 13 & 14

36.05 Beech 22 in. dia.

39.75 a small Creek 20 lks. - nearly North

40.00 Set g. Sec. post in creek, from which
a Hickory 8 in. dia. bears S 59½ W 26 lks.

elm 6 " " " N 40 E 53 lks

49.24 Cherry 15 in. dia.

57.44 Poplar 18 " "

58.60 Enter small pond

61.50 Leave do.

73.40 a run 15 lks. wide, course West

80.00 Set post cor. of Sec. 11, 12, 13, 14, from which
a Mulberry 6 in. dia. bears N 63 E 23 lks.

Poplar 23 " " " S 39 W 39 lks.

Land level 1st rate, timber as lastJuly 1st 1837

East On Random between Sec. 12 & 13

45.00 Enter Willow pond

55.00 Leave do - a thundering place!

80.08 Intersected East boundary 116 lks. S. of post

First 55 Ch. level 3^d rate - remainder good 2^d.

rate, Beech, Ash, elm, Maple, Hickory, Sugar.

West Corrected between Sec. 12 & 13

.39 a swp. Ash 21 in. dia.

2.27 Beech 20 in. dia.

20.08 Ironwood 7 in. dia.

40.04 Set g. Sec. post from which a

Aspen 10 in. dia. bears N 57 W 28 lks.

R. oak 6 " " S 3 E 22 lks.

43.00 Aspen 8 in. dia.

60.02 W. Oak 23 in. dia.

80.08 Section corner

North Between Sec. 11 & 12

12.80 a Run 5 lks. wide, course N.W.

Ch^d Lk.

- 14.83 a W. Oak 24 in. dia.
 32.85 Red Oak 23 " "
 36.87 Set post on left bank of Tippecanoe R. from which
 a Maple 6 in. dia. bears N. 12 E. 10 lks.
 " Sycamore 20 " " " S 23 N 28 "
 42.75 Over river, and set post on right bank, from which
 a Pin Oak 21 in. dia. bears N 45 W 32 lks.
 Red Oak 8 " " " N 39 E 17 "
 48.00 a small ugly pond
 50.23 a Beech 21 in. dia.
 58.00 a small pond
 72.00 a do too deep to be passable
 78.50 another pond
 80.00 Set post corner to Sec. 1, 2, 11, 12, from which
 a Beech 19 in. dia. bears N 31 W 10 lks.
 W. Elm 24 " " " S 44 E 19 "
 Land, South of river 2^d rate - North of river, too
 many ponds. Beech, Ash, Elm, Hickory, Maple, Willow, Rose briar.

East on Random between Sec. 1 & 12

- 46.00 a small pond
 66.27 To right bank of Tippecanoe river
 69.00 Over river to left bank
 80.06 Intersected 89 lks. South of post
 Land level 2nd rate - timber same

West corrected between Sec. 1 & 12

- 11.44 Set post on right bank of Tip. River, from which
 a R. Oak 5 in. dia. bears N 40 E 14 lks.
 Lym 23 " " " S 6 E 20 "
 13.81 Over river & set post ^{on right bank,} from which a
 Lym 11 in. dia. bears S 80 W 13 lks.
 W. Walnut 10 " " " N 8 E 33 "
 40.03 Set q^r. Sec. post, from which a
 Blackberry 21 in. dia. bears S 3 E 16 lks.
 B. Walnut 48 " " " N 64 E 37 lks.

Ch^d Sk.40.33 a Hackberry 22 in^d dia.

60.68 Lynn 9 " "

80.06 Section corner

North On Random between Sec^d. 1 & 2

9.00 Impassable pond. offset W. 2.50, N. 8.00, E. 2.50

17.00 Over pond

40.84 Intersected 27 lks. East of post

Land level 2nd rate, timber sameSouth Corrected between Sec^d. 1 & 24.18 a Hickory 19 in^d dia.

40.84 Section corner

Monday July 3. 1837

North Between Sec^d. 26 & 27.75 a W. Oak 23 in^d dia.6.65 Set q^r. Sec. post, from which a
Lynn 22 in^d dia. bears S 7 E 23 lks.

Do 12 " " " N 66 W 40 "

7.75 Chippewanoek Creek 50 lks. wide, course N.W.

11.00 Do 50 lks. " " East

13.85 Do 45 lks. " " West

28.54 a Poplar 24 in^d dia.

36.76 Lynn 22 " "

46.65 Set post corner to Sec^d. 22, 23, 26, 27, from which aHickory 12 in^d dia. bears N 70 W 17 lks.

R. elm 6 " " " S 44 E 22 "

Land nearly level, 2nd rate - Poplar, Walnut,
Oak, ash, Beech, Elm, Lynn, Sycamore, &c.East On Random between Sec^d. 23 & 26

78.97 Intersected 28 lks. South of post -

Land level 1st rate - timber as EastWest Corrected between Sec^d. 23 & 262.25 a Lynn 9 in^d dia.

T. 31 N. R. 3 E. 2nd Mer. Ind. 355
ch. In.

4.00 a Lynn 20 in. dia.

19.08 a Burr Oak 22 in. dia.

39.48 $\frac{1}{2}$ Set of Sec. post, from which a
Lynn 20 in. dia. bears N 53 W 15 Ch.,
B. Walnut 6 " " " S 63 E 16 "

78.97 Section corner

~~2~~ There was an unaccountable
aberration of the needle throughout
this whole tier of sections, which caused
me a good deal of trouble, & recovery
of a good part of the work; & then I
didn't get it as I would have liked to
have had it. But look ahead and you
will see the effects of it.

North Between Sect. 22 & 23

Var. 6:00' E

3.45 Ironwood 8 in. dia.

40.00 Set of Sec. post, from which a
Burr Oak 22 in. dia. bears S 34 E 32 Ch.,
do 10 " " " N 24 W 58 Ch.,

45.00 Enter barren

63.50 Set post on left bank of Sippecanoe River,
Lynn 24 in. dia. bears S 8 W 12 Ch.,
W. Oak 12 " " " N 74 E 43 "

67.64 Over river & set post on right bank.

Burr Oak 24 in. dia. bears N 23 W 64 Ch.,

Pin Oak 28 " " " N 4 W 1.25 "

80.00 Set post cor. to Sect. 14, 15, 22, 23, from which
a W. Oak 23 in. dia. bears N 32 W 64 Ch.,

do 22 " " " S 83 E 29 "

Land a little rolling, good 2^d rate; & same
-Nth principally Oak, & hazel bushes in abundance.

East Random between Sect. 14 & 23

14.86 Right bank of Sippecanoe river

18.57 Over to left bank

Ch. Lk.

79.00 Intersected 16 lks. South of post
Land, except river banks, lev. 2^d rate, timber same

West Corrected between Sect. 14 & 23

1.71 Lynn 7 in. dia.

39.50 Set gr. Sec. post, from which a
Bur Oak 12 in. dia. bears S 22 E 12 lks.
W. Elm 26 " " " N 22 W 18 "

59.62 Set post on left bank of Tippecanoe R.

Maple 7 in. dia. bears S 9 E 8 1/2 lks
W. Oak 7 " " " N 9 E 9 1/2 "

63.34 Over river & set post on right bank

Hickory 18 in. dia. bears N 6 W 77 lks.
Bur Oak 25 " " " S 57 N 73 "

79.00 Section corner July 2. 1837

North Between Sect. 14 & 15

Var. 6.45' E

20.00 Leave tremendous hazel thicket & enter thick timber

40.00 Set gr. Section post, from which
Sugar 22 in. dia. bears S 70 W 23 lks.
B. Walnut 40 " " " S 61 E 30 "

41.60 Sugar 22 in. dia.

63.79 do " " "

71.00 a small creek 20 lks. wide, course S. E.

80.00 Set post cor. of Sect. 10, 11, 14, 15, from which
a Beech 20 in. dia. bears S 59 W 26 lks.
do 20 " " " S 67 E 7 "

Land lev. 1st rate - 5 1/4 oak barrens, full of
hazel, brush & briars - balance thickly timb.
with Beech, Sugar, Walnut, ash, Hackberry, Cherry &c.

East On Random between Sect. 11 & 14 - Var. 6.00' E.

36.50 Enter Pond

39.75 Leave pond

73.00 Right bank of Tippecanoe river

76.20 Over river to left bank

T. 31 N. R. 3 E. 2nd Mer. Ind. 357
ch. lks.
79.50 Intersected 5 lks. South of post
Land level good 2^d rate, timber same

West Corrected between Sect. 11 & 14
3.20 Set post on left bank Tappanoc river, from which
R. Oak 12 in. dia. bears N 63 E 6 lks.
Ironwood - " " " South 42 "
6.50 Over river & set post on right bank, from which
Ash 12 in. dia. bears N 21 E 14 lks.
B. Walnut 10 " " " S 70 W 1.38 "
39.75 Set gr. Sec. post on East side of pond,
Elm 10 in. dia. bears S 20 1/2 E 34
Maple 12 " " " N 80 W 6
56.17 Elm 18 in. dia.
79.25 Beech 18 " "
79.50 Section corner

North Between Sect. 10 & 11 Var. 6.45' E
14.84 Beech 22 in. dia.
28.53 Do 12 " "
35.88 Do 20 " "
40.00 Set gr. Sec. post, from which a
W. Elm 21 in. dia. bears N 68 E 24 lks.
Beech 22 " " " S 40 1/2 W 44 "
43.77 Beech 24 in. dia.
75.93 Swamp Ash 24 " "
80.00 Set post corner to Sect. 2, 3, 10, 11, from which
Beech 24 in. dia. bears N 75 E 45 lks.
Do 27 " " " S 9 N 9 "
Land level, 1st or good 2^d rate; Beech,
Sugar, Ash, Walnut, Oak, poplar, Cherry &c.

East Random between Sect. 2 & 11 Var. 6.00' E.
53.68 Creek 30 lks. wide, course South
80.73 Intersected 30 lks. North of post - Land level good
2^d rate - Beech, Ash, Sugar, Walnut, Elm, poplar, Oak &c.

T. 31 N. R. 3 E. 2nd Mer. Ind.^a
ch. Ecs.

West Connected between Sec. 2 & 11

3.15 a Beech 23 in. dia.

40.36 $\frac{1}{2}$ Set gr. Sec. post, from which a
Cherry 15 in. dia. bears N 17 E 42 lks.
Sugar 8 " " " S 14 W 29 "

41.32 a R. Oak 26 in. dia.

63.50 a Sugar 8 " "

80.73 Section Corner.

North Between Sec. 2 & 3

Var. 5.15'E.

18.50 a Sycamore 50 in. dia.

27.40 a W. Elm 23 " "

37.60 a Beech 11 " "

41.01 Corner on North boundary of Reserve
Land level good 2^d rate - timber same
July 6. 1837

North Between Sec. 27 & 28

Var. 6.40'E.

6.50 Set gr. Sec. post, from which a

Bur Oak 22 in. dia. bears N 45 $\frac{3}{4}$ W 1.66 lks.

W. Oak 24 " " " S 35 E 1.70 "

39.80 Chippewanoock Creek 60 lks. wide, N.W.

46.50 Set post corner to Sec. 21, 22, 27, 28, from which
a Bur Oak 21 in. dia. bears S 84 W 19 $\frac{1}{2}$ lks.

do 14 " " " S 61 E 36 $\frac{1}{2}$ "

Land nearly level, good 2^d rate - a good
part of it being the fields of the old Chippewa-
noock Village were - timber scattering Oak.

East On Random between Sec. 22 & 27 - Var. 5.30'E

20.00 Entered wet prairie

31.00 Leave same

42.00 Enter thick timber

79.98 Intersected 74 lks. South of post

Land nearly level, 2^d rate - mostly Oak
barrens.

ch. Sk.

West corrected between Sec. 22 & 27

3.11 1/2 a B. Walnut 28 in. dia.

39.99 Set of Sec. post, from which a
W. Oak 23 in. dia. bears N 13 1/2 W 59 lks.

do 18 " " " S 51 E 52 "

79.98 Section corner

West On Random between Sec. 21 & 28 Var. 5° 30' E.

4.00 blippewanoock Creek 50 lks. wide, course North

" Enter wet prairie

20.00 Leave wet prairie

35.84 Intersected West boundary of Res. 21 lks. S. of post
Land some rolling 2^d rate - wet prairie & bar-
rens - timber Oak

East corrected between Sec. 21 & 28

35.84 Section corner

North Between Sec. 21 & 22

Var. 6° E

3.22 a W. Oak 20 in. dia.

19.82 do 21 " "

35.08 do 23 " "

40.00 Set of Sec. post, from which a
W. Oak 22 in. dia. bears S 73 E 10 lks. dist.

do 22 " " " N 82 1/2 W 35 " "

53.69 Set post on left bank of Tippecanoe river,
Bur Oak 20 in. dia. bears S 47 W 42 lks.

Lynn 8 " " " S 52 E 25 "

57.32 Over river & set post on right bank,

W. Oak 20 in. dia. bears N 8 W 24 lks.

do 10 " " " N 57 E 46 "

80.00 Set post cor. to Sec. 15, 16, 21, 22, from which a
R. Oak 22 in. dia. bears N 36 W 30 lks.

Bur Oak 15 " " " S 11 E 36 "

Land level 2^d rate barrens. Oak, hazel, Sas-
sapras &c.

360

T. 31 N. R. 3 E. 2nd Mer. Ind. a

ch. Sh.

East On Random between Sec. 15 & 22 -

47.00 a run 5 lks. wide, course South

79.65 Intersected 26 lks. North of post

Land level 2^d. rate barrens - Oak with some
Hickory, Elm, Lym., - Hazel, Grapevines, Filum, Aspen,
Sassafras, Cranberry &c.

West Corrected between Sec. 15 & 22

39.82¹/₂ Set q. Sec. post, from which a

B. Oak 22 in. dia. bears S 68 W 120 lks.

W. Oak 22 " " " N 26 W 116 "

79.65 Section Corner

West On Random between Sec. 16 & 21 - Var. 5.10' E

35.87 Intersected 15 lks. South of post

Land level 2^d. rate barrens - timber same

East Corrected between Sec. 16 & 21

9.71 W. Oak 22 in. dia.

35.87 Section corner

North Between Sec. 15 & 16.

Var. 6.20' E

20.93 a W. Oak 30 in. dia. - & enter thick timber

31.50 a Hickory 23 in. dia

40.00 Set q. Sec. post, from which a

Hickory 4 in. dia. bears N 69 E 11 lks.

W. Elm 24 " " " S 80 W 30 "

48.78 a B. Walnut 24 in. dia.

63.41 a R. Oak 30 " "

80.00 Set post corner to Sec. 9, 10, 15, 16, in front

W. Elm 18 in. dia. bears N 37 E 12 lks.

do 12 " " " N 66 W 21 "

Land level, N 1/2 1st. rate - timber ash, Wal-
nut, poplar, Sugar &c. - S 1/2 2^d. rate barrens, mostly.

East On Random between Sec. 10 & 15 - Var. 5.50' E

T. 31 N. R. 3 E 2nd Mer. Ind.^a 361
Ch^d Sho.

.50 out of pond
67.00 a Creek 30 lks wide, course S. E.
78.81 Intersected 26 lks. S. of post
Land level 1st rate - timber as before

West Corrected between Sec^s 10 & 15

2.41 an Ironwood 10 in^d. dia.
30.44 a Lynn 6 " "
39.40¹/₂ Set of Sec. post, from which a
R. Elm 7 in^d. dia. bears S 28 W 3 lks.
Lynn 10 " " " N 33 W 18 "
41.60 a R. Oak 15 in^d. dia.
44.63 Do 21 " "
78.81 Section Corner

West On Random between Sec^s 9 & 16 Var. 5° E

4.00 Leave pond
35.74 Intersected at post
Land same as last

East Corrected between Sec^s 9 & 16

35.74 Section Corner July 1837

North Between Sec^s 9 & 10 Var. 5° 20' E.

1.00 Leave Pond
16.51 a R. Oak 21 in^d. dia.
21.02 Do 32 " "
27.18 Bur oak 26 " "
34.60 a Creek 30 lks. wide, course East
40.00 Set of Sec. post, from which a
Buck 18 in^d. dia. bears S 13 1/4 E 24 lks
W. Elm 7 " " " N 5 W 11 "
49.47 a Bur Oak 25 in^d. dia.
56.57 a Buck 9 " "
60.64 Do 24 " "
77.04 Do 10 " "

362

T. 31 N. R. 3 E. 2nd Mer. Ind. a

Ch. Sk.

80.00 Set post corner to Sect. 3, 4, 9, 10, from which
a R. Elm 24 in. dia. bears S 63 E 9 Ch.

W. Elm 20 " " " N 63 W 7 "

Land level 2^d rate - Beech, Oak, ash, Elm,
Sugar, poplar &c

East On Random between Sect. 3 & 10 - Var. 6° E

31.90 a stream 15 Ch. wide, South

78.08 Intersected 7 Ch. N. of post

Land level 1st rate - timber same

West Corrected between Sect. 3 & 10

39.04 Set q. Sec. post, from which a

W. Elm 21 in. dia. bears N 29 E 16 Ch.

do 20 " " " S 18 W 32 "

62.73 a Beech 22 in. dia.

74.53 a W. Elm 27 " "

78.08 Section Corner

West On Random between Sect. 4 & 9 - Var. 5° E

25.20 a creek 20 Chs. course South

35.90 Intersected West boundary at post.

Land same

East Blazed back between Sect. 4 & 9

32.16 a Beech 24 in. dia.

35.90 Section Corner

North Between Sect. 3 & 4

Var. 8° E.

19.08 a Beech 10 in. dia.

36.00 a pond, own 6 Ch. wide, nearly South

41.22 Intersected at Corner on North boundary
of Reserve.

Land & timber same

Monday July 10. 1837

Var. 5° 30' E

Meanders of Tippecanoe River, left bank,
beginning at post in Range line, Section 1, thence
down stream.

S 30 W 9.00 In Section 1

S 49 W 3.00

S 66 W 8.00

S 30 W 3.50

South 2.50

S 26 E 5.00

S 37 E 5.50

S 5 W 3.50

S 21 3/4 W 1.47 To line of Sec. 1 & 12

S 20 W 2.50 In Sec. 12

S 45 W 6.00

S 70 W 2.50

S 60 W 3.00

S 78 W 5.00

N 80 W 7.00

S 35 W 3.00

S 8 W 1.50

S 11 E 4.50

S 20 W 5.00

S 58 W 5.00

S 80 W 11.00 At 10 ch. a run 4 lks. from S.E.

S 66 W 20.00

S 65 W 5.00

S 55 W 3.00

S 44 W 2.00

S 24 W 3.00

S 35 W 1.49 To line of Sec. 11 & 12

S 11 W 3.00 In Sec. 11

S 17 W 11.00

S 36 W 6.00

South 3.00

S 18 E 4.00 at 290, a run 5 lks. from S.E.

S 38 E 5.00

364

T. 31 N. R. 3 E. 2nd Mer. Ind.

S 15 E	3.50	
South	2.50	
S 27 1/2 W	2.19	To post on line of Sect. 11 & 14
S 35 W	2.00	In Sec. 14
S 52 W	17.00	At 10.80 a brook 8 lks. from S.E.
S 27 W	7.00	
S 48 W	5.00	At 4.50, a small creek 20 lks. from S.E.
S 64 W	9.00	
S 43 W	3.00	
S 18 W	3.00	
S 18 E	2.00	
S 3 E	5.00	
S 12 W	1.50	
South	3.50	
S 8 E	4.00	
S 20 W	6.50	
S 62 W	3.00	
S 87 W	4.00	
N 62 W	2.50	
N 42 W	3.50	
N 82 W	3.00	
S 67 W	1.50	
S 18 W	2.50	
S 10 E	10.00	
S 15 W	3.00	
S 29 W	2.50	
S 41 W	5.00	
S 31 W	4.50	
S 10 W	3.00	
S 25 1/4 W	1.68	To line of Sect. 14 & 23. Head of an Isl. bears S 47 W
S 10 W	5.50	In Sec. 23 - At 4.60, a ^{spring} 5 lks. from E.
S 41 W	4.00	- point of island bears N 65 W
S 59 W	11.50	- at 11.00, creek 20 lks. from S.E.
S 70 W	6.31	To line of Sect. 22 & 23
S 78 W	7.00	In Sec. 22
N 76 W	6.00	

N 38 W 10.00

N 83 W 4.00

S 54 W 4.00

S 16 W 13.00 To high bank, & Indian graves

S 39 W 7.00

S 63 W 15.00

N 69 W 6.00

N 13 W 10.00

N 70 W 2.50

S 32 W 7.50 To high bank, & opposite 2 small islands
lying side by side

S 77 W 3.50

N 84 W 10.50

N 64 1/4 W 4.73 To post in line of Sec. 21 & 22

S 63 W 10.00 In Sec. 21

S 88 W 6.00

N 84 W 13.50

S 86 W 4.00

S 74 1/2 W 3.55 To post in West boundary of Reserve
July 9. 1837

S 29 W 8.00 From post on East side of Sec. 1, Right

S 37 W 5.00 bank, down stream, var. 5° 30' E.

S 54 W 3.00

S 64 W 6.00 at 3.00 stream 10 k. from north

S 39 W 5.00 at 3.50 do 5 k. from west

S 11 W 6.00 at 2.00 bluffs

S 27 E 4.00

S 35 E 6.50 Bottom

S 61 1/4 W 3.20 To post in line of Sec. 1 & 12

S 36 W 2.00 In Sec. 12

S 55 W 5.00

S 72 W 8.00

N 84 W 2.00

N 66 W 3.00

N 88 W 2.00

S 37 W 2.00

S 41 W 4.00

366

T. 31 N. R. 3 E. 2nd Mer. Ind. a

S 12 N	12.00	
S 77 N	4.00	
N 81 N	5.00	
S 61 N	7.00	
S 68 N	15.00	
S 74 N	3.00	
S 58 N	8.00	
S 35 N	2.77	To line of Sect. 11 & 12
S 45 N	4.00	In Sec. 11 - at 2.25 stream 50 ch. fr. North
South	2.00	
S 10 W	1.50	
S 17 N	10.00	
S 25 N	3.00	
S 30 N	8.00	At 3.00 stream 5 chs. from N.W.
S 16 E	6.00	
S 29 E	7.00	
S 6 N	2.50	
S 1 E	2.97	To line of Sect. 11 & 14
S 76 N	8.00	In Sec. 14 - at 5.00, head of Island
S 54 N	4.00	
S 28 N	13.00	at 5.00 point of island [lower?]
S 60 N	13.00	at 4, high banks
S 28 N	2.00	
S 33 N	5.00	
S 5 N	22.50	At 4.50, stream 20 ch. fr. W. & entered prairie
S 66 N	1.50	{ bottom - at 10.00 haze patch
N 81 N	1.00	
N 38 N	3.00	
N 30 N	3.50	- Indian graves
S 81 N	5.00	- High bank
S 33 N	6.00	
S 14 N	5.00	
S 16 E	7.00	
S 24 N	6.00	
S 29 N	11.50	
S 18 N	3.11	To line between Sect. 14 & 23

S 17 W 1.00 In Sec. 23. — Opposite head of Island

S 32 W 8.00 To point [lower?] of island

S 62 W 7.00

S 75 $\frac{1}{4}$ W 5.11 To line of Sect 22 & 23

S 74 W 5.00 In Sec. 22

S 71 W 8.00

N 38 W 6.00

N 68 W 5.00

S 84 W 2.00

S 57 W 11.00

South 8.00 — at 2.00 enter field of corn

S 19 W 6.00 — at 5.00 leave field

S 55 W 5.00

S 73 W 5.00

S 68 W 7.00

S 54 W 2.00

N 6 W 8.00

N 48 W 4.00 High banks

S 79 W 6.00

S 62 W 11.00 — at 2.00 head of 2 islands — at 10.00 point of do.

N 62 W 6.00 — at 2.00 a run 5 ch. from N.

N 87 $\frac{1}{2}$ W 4.57 To line between Sec. 21 & 22

S 83 W 8.00 In Sec. 21

S 57 W 4.00

S 59 W 2.00

S 85 W 7.00

N 78 W 12.00

S 62 W 4.00 — at 2.50, a run 5 ch. from N.

S 47 W 1.23 To post in West boundary of Reserve.

July 10. 1837

Surveyed by

Jeremiah Smith
Dep. Sur.

I hereby certify that in pursuance of a contract with Robert T. Lytle Surveyor General of the United States, for the State of Ohio, Indiana and Michigan, and the Territory of Wisconsin, bearing date the 27th day of May 1837, and in strict conformity to the laws of the United States and the instructions of said Surveyor General, I have surveyed and subdivided into sections, Siosa's and Masac's Reserve, lying in Township 31 N. in Range 3 East, in Indiana; and I do further certify that the foregoing are the true and original field notes of said survey and subdivision, executed as aforesaid.

Certified this 23^d day of July 1837.

Jere. Smith
Dep. Sur.

Benjamin Canver }
Wm Wright } Chainmen
Jonathan Ruble - Marker

~~I certify that the foregoing~~

West Between Sec. 5 & 8.
 2. 50. A Cherry 18. in. diam.
 4. 15. A Brook 3. links wide. Crs. S. E.
 10. 25. A Brook 3. " " " S. E.
 19. 04. A Grey Ash 20. in. diam.
 31. 94. A Red Oak 20. " "
 35. 20. A Brook 4 links wide. Crs. S. E. Clear & nice.
 40. 00. Set a $\frac{1}{4}$ Sec post from which a
 Buck 20 in. diam. bears S. 61 $\frac{1}{2}$ W. 26. links dist. & a
 Do. 20. " " " N. 37. E. 40. " "
 57. 85. A B. Walnut 6. in. diam.
 55. 71. A Sugar 20. " "
 60. 34. Intersect the East Boundary of Sec. N. 26. Michigan
 Road Land, where Set a Post Cor. to Sec. 5 & 8. from
 which Red Oak 8. in. diam. bears N. 61 $\frac{1}{2}$ E. 17. links dist.
 and a Hickory 14. " " " S. 39 $\frac{1}{4}$ E. 50. " "
 Land gently Rolling beautiful 2nd rate. Farming
 Land. Timber. Sugar. Buck. Red. & White Hickory.
 Ash. Walnut. Poplar. Lym. Ironwood. &c. Undergth
 Spice. Ash. Sugar. Hickory. Ironwood. Hornbeam.
 Measures North on the said line 2.17. to the N. E. Cor.
 of said Section

North Between Sec. 4 & 5.
 10. 20. A Buck 18. in. diam.
 13. 38. A Hickory 8. " "
 23. 00. A Brook 12. links wide, Course N. E. Stagnant.
 24. 50. The same Brook " " " N. W.
 24. 85. A Buck 18. in. diam.
 25. 70. Same Brook. Crs. N. E.
 40. 00. Set a $\frac{1}{4}$ Sec post. from which a
 Buck 16. in. diam. bears N. 47. W. 25. links dist. and a
 Do. 10. " " " S. 53. E. 25. " "
 47. 55. A Brook 3. links wide Crs. S. E.
 48. 57. A Buck 18. in. diam.
 52. 09. A Grey Ash 22. " "

- 67.83. A Sycamore 28. in. diam.
 69.00. A Dead Brook 8. links wide. Cor. N. E.
 81.38. A Poplar 24. in. diam. S. E. one of three which
 grows from the same nest.
 86.42. Intersect the Correction line & set a Post Cor. to Sec.
 4 & 5. from which a
 Beech 18. in. diam. bears S. 32. E. 31. links dist. & a
 Lynn 26. " " " S. 44. W. 21. " "
 Land gently rolling & rich 2nd rate. Timber. Beech
 Red. White & Burr Oak. Elm. Ash. Sugar. Walnut
 Hickory. Sycamore. Poplar. &c. Undergrowth. Spice. Ash.
 Lynn. Hornbeam. Hickory. Willow. &c.

- North Between Sec. 3. & 4.
 From the North Boundary of Indian Reservation.
 7.00. A Black Walnut 18. in. diam.
 19.28. A Beech 12. in. diam.
 30.39. A Do. 20. " "
 40.00. Set a q. Sec. post from which a
 Red Oak 14. in. diam. bears S. 50. W. 18. links dist. & a
 Hornwood 5. " " " N. 47. E. 10. " "
 42.15. A Red Oak 22. in. diam.
 45.00. Enter swamp.
 45.79. Intersect the Correction line & set a Post Cor. of Sec.
 3. & 4. from which a
 Maple 18. in. diam. bears S. 35. W. 24. links dist. & an
 Elm 18. " " " S. 20. E. 40. " "
 Land level & rich & 2nd rate. Timber. Beech.
 Red. & White Oak. Poplar. Ash. Lynn. Elm. Spice.
 Ash. Hazle. Hickory. Willow.
 Measured West on Correction line for corresponding
 corner. 14.25. A W. Elm in Pnd. 8. in. diam.
 supposed to be q. Sec. corner, for Sec. 33. T. 32. N.
 R. 3. E.

North Between Sec. 2. & 3.

From the North Boundary of Indian Reservation.

5. 67. A Grey Ash 18. in. diam.
 5. 90. A Brook 4. links wide. Cor. E. N. E. Rise a bank 10 feet high.
 10. 32. Red Elm 24. in. diam.
 27. 50. Enter swamp.
 32. 75. A Spring Brook Course N. E. through Marsh.
 33. 50. Left the swamp. & Ascend gently.
 33. 87. A Grey Ash. 22. in. diam.
 40. 00. Set a Post Cor. to $\frac{1}{4}$ Sec. from which a
 Red Elm 20. in. diam. bears S. 15. W. 22. links dist. & a
 Beech 20. " " " N. 27. E. 30. " "
 45. 00. Descend Bank 12 feet high.
 46. 04. Intersect the Correction line in the S. edge of a Creek 25.
 links wide. where set a Post Cor. to Sec. 2. & 3. from which
 a W. Walnut 6. in. diam. bears S. 57. E. 45. links dist. &
 a " Do 20. " " " S. 77. W. 29. " "
 Land part level & part rolling rich 2^d rate soil.
 Timber. Beech. Ash. Walnut, Elm, Lym. Sugar.
 Poplar. W. Oak. Red Oak. &c. Undergr. Sugar.
 Spice Ash. Hemlock, Wilton. Hickory. Elm.

North Between Sec. 1. & 2.

From the N. Boundary of Tiosac & Marac's Reservation

5. 14. A Beech 20. in. diam.
 11. 09. A W. Elm 38. " "
 21. 80. A Brook 4. links wide. Cor. N. N. W. Very steep Banks
 25. 60. A Beech 18. in. diam.
 38. 45. A Brook 2. links wide. Cor. W. S. W.
 40. 00. Set a $\frac{1}{4}$ Sec. post from which a
 Beech 28. in. diam. bears S. 40. W. 23. links dist. & a
 Do 24. " " " N. 7. E. 17. " "
 42. 91. A W. Elm 18. in. diam.
 46. 59. Intersect the Correction line & Set a post Cor. to Sec.
 1 & 2. from which a
 Lym 20. in. diam. bears S. 83. W. 17. links dist. & a

They Ash 5. in. diam. bears S. 23 $\frac{1}{2}$. E. 17. links disty.
 Land rolling & rich 2nd rate. Timber. Buck Sugar.
 Linn. Walnut. Ash. Elm. Poplar. Hickory. &c.
 Undergrowth. Spice. Ash. Elm. Iron woods. Hazle.
 Iron woods. Hickory. Hornbeam &c.
 June 18th 1834

- North Between Sec. 31. & 32.
 10. 83. A W. Oak 16. in. diam.
 25. 35. A Hickory 6. " "
 26. 57. Descend Steep Bank & Enter net Prairie.
 33. 30 Clear, Brisk running Creek 30. links wide. Cor. N. W. W.
 45. 50 Ascend steep hill. Left Prairie, &c.
 37. 54. A W. Oak 18. in. diam.
 38. 95. An Indian trail. S. W.
 110. 00 Set a $\frac{1}{4}$ Sec. post from which a
 W. Oak 38. in. diam. bears S. 32. E. 1. 35. links disty & a
 " Do. 4. " " " N. 36. W. 80. " "
 49. 90. A W. Oak 18. in. diam.
 55. 00. Enter net Prairie.
 62. 00 Left the same. S. W. N. W. & S. E.
 64. 03. A W. Oak 16. in. diam.
 68. 50. Enter net Prairie.
 71. 00 Left the same. N. W. & S. E.
 80. 00 Set a Post Cor. to Sec. 29. 30. 31. & 32. from which a
 W. Oak 26. in. diam. bears S. 32. W. 48. links disty & a
 Hickory 4. " " " N. 45. E. 1. 13. " "
 Land rolling & poor. 3rd rate. Timber. W. Oak. Hickory.
 Black Oak. &c. Undergrowth. Oak. Hickory & Red rot.

- East Between Sec. 29. & 32.
 3. 30 Intersect the West Boundary of Sec. No 30. Michigan
 Road Land. & Set a Post. Cor. to Sec. 29. & 32. from which
 a Black Oak 6. in. diam. bears N. 40. W. 03. links dist.
 & a Hickory 3. " " " S. 62. W. 77. " "
 Measured North on said line 119. links to the N. W. Cor. thereof.

North
1. 19. Between Sec. 29. & 30.
Intersect the South Boundary of Sec. No 29. Michigan
Road Lands & Set a post Cor. to Sec. 29. & 30. from which
N. Oak 22. in. diam. bears S. 55 $^{\circ}$ W. 70. links dist. & a
No other needed Land for. 3 $^{\text{rd}}$ rate.
Measured East on said line 3. 30. links N. to the Corner of
Section No. 30. Michigan Road Lands.

West On Random between Sec. 30. & 31.
0. 50 Enter wet Prairie
15. 49 Set a temp $^{\text{st}}$ post on the Left Bank of Tippecanoe River.
17. 96 Set " " " " " Right " " "
64. 81. Right Bank of Tippecanoe River.
66. 40. Intersect the Range line 141. in the River & 3. links
South of the Point for Sec. Corner.
Land mostly level & 2 $^{\text{nd}}$ rate. First 15 chains, wet
Prairie. Ballance. Old Indian fields, &c. Timber
Black Burr & Red Oak. Walnut &c. Undergrowth
Hazel vines. Sumack, Hickory. Ash. Elm. Walnut.
Gum, Briers. & Sassafras.

East On true line between Sec. 30. & 31.
1. 41 Set a Post on the right Bank of the River Cor. to Sec.
30. & 31. from which a
Double Walnut 4. in. diam. bears S. 20. E. 1. 05 links dist.
and a Maple. 8. " " " N. 29. E. 26. " "
20. 89 A forked Red Oak 42 in. "
24. 43. A Burr Oak 18. in. diam.
26. 40. Set a q $^{\text{st}}$ Sec. post from which a
Burr Oak 18. in. diam. bears S. 32. W. 37. links dist. &
Red Oak 26 " " " N. 78. E. 43. " "
42. 55. A Burr. Oak 36. in. diam.
48. 44. Set a Post on the right Bank of Tippecanoe River
Cor. to Sec. 30. & 31. from which a
Honey Locust 6. in. diam. bears N. 42. E. 9. links dist. &
B. Walnut 12. " " " S. 52 $^{\circ}$ W. 52. " "

T 31. N. R. & E. 2nd Mer. Ind.

50. 91 Set a Post on the Left Bank of Chippewauk River
 Cor. to Sec. 30. 31. from which a
 Jack Oak 6. in. diam. bears N. 28. W. 32. links dist. 8 a
 Lynn 12. " " " S. 4. W. 50. " "
 06. 41 To the Corner.

- East On True line between Sec. 19. & 30.
 Bearings for Common Corner.
 A W Oak 18 in. diam. bears S. 47. E. 179. links dist. 8 a
 " Do. 10. " " " N. 65. E. 175. " "
 14. 98. A B Oak 6. " "
 20. 40 Set a 1/4 Sec post from which a
 W. Oak 12 in. diam. bears N. 70. E. 80. links dist. 8 a
 " Do. 8. " " " S. 24. W. 49. " "
 43. 36. A B Oak 24 in. diam.
 40. 49. Intersect the West Boundary of Sec. 29. N. R. L.
 where set a post Cor. to Sec. 19. & 30. from which a
 W. Oak 18 in. diam. bears N. 85. W. 43. links dist. 8 a
 Blk Oak 26. " " " S. 88. W. 61. " "
 Land Rolling & poor third rate. Timber. Black. &
 White Oak. Hickory &c. Undergrowth. Hickory. Willow.
 Oak &c.
 Measured North on said line 2.14. links to N. W. Corner
 thereof.

- East Between Sec. 18. & 19. On True line.
 Bearings for Common Corner.
 A W Oak 22 in. diam. bears S. 11. E. 145. links dist. 8 a
 " Do. 38. " " " N. 64. E. 87. " "
 00. 50 A W Oak 44 " "
 6. 54 Intersect the West Bound. of Sec. N. 28. in. Michigan
 Road Lands. Set Post Cor. to Sec. 18. & 19. from which a
 W. Oak 28 in. diam. bears S. 33. W. 155. links dist. 8 a
 " Do. 28. " " " N. 67. W. 148. " "
 Measured North on said line 2.45. to the N. W.
 Corner thereof. Land rolling & poor third rate, &c.

East On True line Between Sec. 7 & 18.

Bearings for Common Corner.

A Buck 28. in. diam. bears N. 57. E. 87. links dist. 8 &

N. Oak 24 " " " 9. 08. E. 1. 27. " "

5. 78. Intersect the West Boundary of Sec. N. 27. N. R. 2.

Set a Post Cor. to Sec. 7 & 18 from which an

Ironwood 14. in. diam. bears N. 67. W. 81. links dist. 8 &

N. Walnut 14 " " " 7. 44. W. 58 " "

Land level & rich 2nd rate.

Measured North on said Sec. line 295. to the N. W. Corner thereof.

East On True line between Sec. 6 & 7.

Bearings for Common Corner.

A Buck 12. in. diam. bears S. 37. E. 30. links dist. 8 &

Ironwood 8 " " " N. 30. E. 12. " "

or 84. A Red Elm 10. in. diam.

or 94. An Indian Trail. N. W.

5. 38. Intersect the West Boundary of Sec. N. 26. N. R. 2.

& set a Post Cor. to Sec. 6 & 7 from which a

Buck 22. in. diam. bears S. 78. W. 54 links dist. 8 &

Do. 14 " " " N. 19. W. 40. " "

Measured North on said line 298. to the N. W. Cor. thereof.

Land level & rich 2nd rate. Timber mostly & pine

June 19th 18. 34.

Meanders of the Right Bank of Wippicanoc River.

Beginning at the Post which stands on the West

Boundary of Vicks & Napa's Reservation

thence in Sec. 21.

4. 00. W. 4. 00. At 250. links a Bank Spring.

4. 38. W. 5. 00

4. 20. W. 9. 00

4. 40. W. 5. 50.

4. 57. W. 14. 00. At 10. 50. A Spring from a Bank in Wet Prairie

4. 40. W. 2. 00.

S. 62nd 7.00S. 50th 4.00. At 3. rise a Bluff.S. 22nd 482. Intersect the line between Sec. 20. & 21.
Thence in Sec. 20.S. 17th 4.50.S. 7th 6.02. Intersect the line between Sec. 20. & 29.
Thence in Sec. 29.S. 2nd 3.50.

S. 2. E. 4.00

S. 4th 3.00S. 17th 3.00S. 41st 2.50S. 62nd 3.00N. 78th 3.50.N. 38th 1.50.

N. 43. E. 5.00

N. 28. E. 2.50.

N. 11. E. 5.00

N. 13th 3.80. Intersect the line between Sec. 20. & 29.
Thence in Sec. 20.N. 5th 2.00N. 16th 6.00N. 44th 4.50N. 66th 5.50.S. 78th 4.50S. 39th 5.00S. 29th 2.42.

Intersect the North Boundary of Sec. N. 29.
Michigan Road Land. Thence. Down Stream
without Measure to the East Boundary of said
Section. No Post found as stated in the original
Notes. Set Post on Sec. line. for fractional Sec.
29. U. S. Land.

T. 31 N. R. 3. E. 2nd Mer. Indiana. 377

S. 36. E. 3. 50

S. 59. E. 4. 50. At 4 head of an Island.

S. 49. E. 7. 00 At 450. foot of Dr.

S. 17. E. 1. 25.

S. 45. W. 1. 25.

West 2. 00.

N. 59. W. 5. 50.

N. 29. W. 4. 50.

N. 66. W. 1. 79. Intersect the E. Boundary of Sec. 29,
Michigan Road Land. 4. 31. South of Hickory
Corner. Thence down Stream to Post on the
West Boundary. of said Sec. Thence.

S. 46. W. 2. 50.

In Sec. 30. U.S. Land.

S. 29. W. 5. 50. At 4. 50. head of an Island.

S. 9. E. 5. 50. At 400. foot " " "

S. 13. E. 9. 00

S. 23. E. 3. 50.

S. 10 1/2 E. 1. 33. Intersect the line between Sec. 30. & 31.
Thence in Section 31.

S. 4. E. 10. 00

S. 30. W. 1. 25.

S. 84. W. 1. 25.

N. 57. W. 2. 50. At 2. 00 head of an Island.

N. 78. W. 4. 00.

S. 80. W. 6. 00. At 250. Foot of an Island.

N. 86. W. 11. 50.

S. 88. W. 5. 50.

S. 41. W. 4. 00

S. 29. W. 5. 00 Head of an Island.

S. 30. W. 6. 00 At 400. Foot of Dr.

West 2. 00

S. 68. W. 2. 50.

N. 73. W. 2. 50.

N. 33. W. 4. 00.

N. 1. W. 5 00.

N. 28. W. 1. 37.

Intersected the line between Ranges
2 & 3. Thence North without Measure
to the Right Bank of said River in
Sec. 31.

N. 50. E. 1. 40.

Intersect line between Secs. 30 &
Thence in Sec. 31.

Meanders of Right Bank in Sec. 30.

N. 43. E. 3. 00

N. 17. E. 2. 50.

N. 27. W. 4. 00

N. 53. W. 1. 52.

Intersect the line between Ranges 2 & 3. West.

Meanders down the Left Bank of Tippecanoe
Beginning at a Post which stands on the West
Boundary of the Indian Reservation
Thence in Sec. 21.

S. 10. W. 4. 50.

S. 24. W. 8. 50

S. 9. W. 3. 50

S. 53. W. 18. 00

S. 60. W. 2. 50.

June 20th 1834.

S. 48. W. 0. 00

S. 57. W. 10. 50.

S. 39. W. 5. 00.

S. 12. W. 3. 50.

S. 11. W. 0. 14.

At 400 A Creek 40 links wide from E. S. E.
Intersect the line between Secs. 21 & 28.
Thence in Sec. 28.

S. 2. E. 8. 50.

S. 15. W. 4. 42

At 170. A Spring Brook -

Intersect line between Secs. 28 & 29.

Thence in Sec. 29.

S. 20. W. 3. 00. At 160. a Spring Brook. 2 links wide & at
 " 2. 50. Ascend Steep Bluff.

S. 53. W. 6. 00

S. 58. W. 4. 00.

S. 70. W. 2. 50.

S. 47. W. 3. 00

S. 2. W. 2. 00

S. 21. E. 2. 50.

N. 28. E. 2. 50. At this point by a short cut. a first rate Miles east.

S. 43. E. 1. 50.

S. 30. E. 1. 50.

S. 22. E. 3. 50.

S. 11. E. 4. 40. Intersect the line between Sec. 20. & 29.
 Thence in Sec. 20.

S. 15. W. 5. 50.

S. 39. W. 4. 50.

S. 70. W. 3. 00

S. 77. W. 2. 00

S. 43. W. 2. 00

S. 23. W. 3. 00

S. 0. E. 2. 00

S. 29. E. 2. 12. Intersect the North Boundary of Sec. 29,
 Michigan Road Land. 185. West of the N. E.
 Corner thereof. Set a Post Cor. to fractional Sec.
 20. from which are
 White Elm 18. in. diam. bears N. 55. E. 22. links dist. & a
 B. Walnut 28. " " " N. 15 1/2 W. 18. " "
 Thence down Stream without Measure to the
 East Boundary of Said Sec. 29. Set a Post on
 the S. E. " Cor. to fract. Sec. 20, from which a
 Maple 6. in. diam. bears S. 78. W. 21. links dist. & a
 B. Walnut 8. " " " N. 83 1/2 E. 22. " "
 which Post stands 108 South of the N. E. Corner
 of said Sec. 29. N. R. 2. Thence in Sec. 20. W. 1. 1/2 Land.

G. 62. E. 59. Intersect line between Sec. 20. & 29.
Thence in Sec. 29.

G. 63. E. 4. 00 At 100. Head of Island.

G. 1. W. 2. 50.

G. 21. W. 2. 50. At 200. Lower end of Is.

G. 7. W. 3. 50.

G. 23. W. 2. 00.

G. 3. W. 12. 00.

G. 13. E. 14. 50. Enter wet Prairie.

G. 46. E. 3. 00

G. 72. E. 3. 50. At 300. Head of Island.

G. 54. E. 2. 50 Foot " Is.

G. 41. E. 6. 50. At 3. 90. A Strong Mineral Spring
At 5. 00. Clear Branch 10. links wide fr. E.

G. 4. W. 3. 50. At 2. 50 Left Prairie, & Ascend steep hill
or Bank.

G. 43. W. 3. 00

G. 88. W. 3. 50.

N. 65. W. 5. 50.

N. 42. W. 3. 50.

N. 28. W. 1. 45. Intersect the E. Boundary of Sec. 29. Mo. R. 3.
1. 53. North of the $\frac{1}{4}$ Sec. post. Set a Post Cor. to
Sec. 29. (U. S. Lands.) from which a
Bur Oak 14. in. diam. bears S. 30. E. 1. 35. links dist.
No other tree near.

Thence down Stream to West Boundary of said
Sec. 29. Michigan Road Lands. for distance from
Corner, &c. (See original notes)

Thence in Sec. 30. U. S. Lands.

G. 14. W. 7. 00

Ymk 3. 00

G. 18. E. 5. 48. Intersect the West Boundary of said Sec. 29.
Michigan Road Lands and Set a Post from which a
Sycamore 6. in. diam. bears S. 49. W. 29. links dist. & a

Here more 12 in. diam. leaves N. 70. W. 30. links dist.

Continued down Stream without course or. Distance in said Sec. 29 (N. B. L.) to the South Boundary thereof. Thence in Sec. 30. W. of Lands

S. 13. E. 1. 23. Intersect the line between Sec. 30. & 31.
Thence in Sec. 31.

S. 13. E. 5. 50. At 4. 25. A Brook 3. links wide. from the Prairie.

S. 7. E. 3. 00 Left the Prairie & Ascend hill.

S. 17. W. 14. 00

S. 62. W. 2. 50.

S. 85. W. 14. 00

N. 84. W. 8. 50.

Passed a small Island.

N. 89. W. 7. 00

N. 78. W. 3. 50.

S. 65. W. 14. 50

S. 36. W. 14. 00

S. 25. W. 9. 00 At 6. Head of an Island.

At, 30. A Creek 40. links wide. from the East.

S. 53. W. 5. 00. At 4. 50 rise high Bank.

S. 89. W. 5. 00 At 4. 00. Descend into Prairie

N. 80. W. 3. 50

N. 41. W. 2. 53. Intersect the Range line Between Ranges
2. & 3.
June 21st 1834

T. & A. B. & C. 2^d Mer. Ind.

I hereby Certify, that in pursuance of a Contract with
 M. J. Williams, Surveyor General of the United States
 for the States of Ohio & Indiana, and the Territory
 of Michigan, bearing date the 27th day of December
 1833, and in strict conformity to the laws of the
 United States and the instructions of said Surveyor
 General, I have surveyed & subdivided into Sections
 Fractional Township N^o 31. North of Range N^o 3,
 East of the 2^d Meridian in the State of Indiana.
 And I do further Certify, that the foregoing are the
 true and Original Field Notes of the said Survey
 and Subdivisions executed as aforesaid.
 Certified. this 28th day of June. 1834.

Thomas Brown

Dep^y Surveyor.

John Hides

Roland Morgan. } Masters

I certify that the foregoing transcript of the
 field notes of Township 31 N. Range 3 East
 of the 2^d Meridian, in the State of Indiana,
 has been compared with the original, on
 file in this Office, and found to be correct
 William Johnston
 Surveyor Genl.

Surveyor General's Office
 Cincinnati Jan. 15. 1843